

Appl. No. 09/771,363  
Amdt. Dated 08/20/2004  
Reply to Office Action of May 20, 2004

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-3. (Cancelled).

4. (Currently Amended) A method for managing program data including content, an entitlement control message and an entitlement management message, comprising:

deriving a code word needed using information from the entitlement management message to descramble the content in the program data;

re-scrambling the code word with a local key; and

inserting the code word that was re-scrambled with the local key into the entitlement management message of the program data for future access to the content; and

inserting the local key into the entitlement control message of the program data for further access to the client.

5. (Original) The method of claim 4 further comprising inserting modified access criteria in addition to the re-scrambled code word.

6. (Currently Amended) The method of claim 4 when prior to inserting the local key, the method further comprising encrypting the local key with a unit key and inserting the encrypted key into the program data for future access.

7. (Currently Amended) The method of claim 4 ~~where~~ wherein the local key is a locally generated random number.

8. (Original) The method of claim 4 wherein the process, once initialized, is performed essentially without CPU intervention.

Appl. No. 09/771,363

Amdt. Dated 08/20/2004

Reply to Office Action of May 20, 2004

9. (Currently Amended) The method of claim 6, ~~further comprising packaging the encrypted key as an entitlement management message prior to insertion into the program data for future access~~ wherein the inserting of the local key comprising:

erasing data related to a prior key within the entitlement management message; and  
substituting the local key for the erased data within the entitlement management message.

10. (Currently Amended) A method for managing program data, comprising:  
descrambling parameters used to derive a code word needed to descramble content in the program data;

re-scrambling the parameters with a local key; and

inserting the parameters that were re-scrambled with the local key into ~~the program data for future access to the program data~~ an entitlement control message; and

inserting the local key into an entitlement management message.

11. (Original) The method of claim 10 wherein some of the parameters are modified.

12. (Currently Amended) The method of claim 10 ~~further wherein the inserting of the parameters that were re-scrambled~~ comprising encrypting the local key with a unit key and inserting the encrypted local key into the ~~program data for future access~~ entitlement management message.

13. (Original) The method of claim 10 where the local key is a locally generated random number.

14. (Currently Amended) The method of claim 12 ~~further comprising packaging the encrypted key that as an entitlement management message prior to insertion into the program data for future access~~ wherein prior to inserting the parameters, the method further comprising erasing data within the entitlement control message corresponding to parameters previously used to derive the code word.

15. (Cancelled).

Appl. No. 09/771,363  
Amdt. Dated 08/20/2004  
Reply to Office Action of May 20, 2004

16. (Currently Amended) The method of claim ~~45~~10 wherein the method, once initialized, is performed essentially without CPU intervention.

17. (Cancelled).

18. (Currently Amended) The method of claim ~~17~~10 further comprising blanking data in the entitlement management message prior to inserting the local key in the entitlement management message.

19. (Currently Amended) The method of claim ~~17~~14, wherein prior to inserting the parameters, the method further comprising encrypting the parameters with the local key ~~inserting the local key into the entitlement management message.~~

20. (Original) The method of claim 14 further comprising deriving the key from the entitlement management message.

21. (Currently Amended) A computer-readable medium having stored thereon a sequence of instructions, the sequence of instructions including instructions which, when executed by a processor, causes the processor to perform a method comprising:

identifying a packet with an entitlement control message;

deriving a code word in ~~an~~the entitlement control message in program data with a key;

re-scrambling the code word with a local key; and

inserting the re-scrambled code word into the entitlement control message;

identifying a packet with an entitlement management message; and

inserting the local key into the entitlement management message.

22. (Original) The computer readable medium of claim 21, further comprising instructions which, when executed by the processor, causes the processor to blank data in the entitlement control message before inserting the code word.

23. (Cancelled).

Appl. No. 09/771,363  
Amdt. Dated 08/20/2004  
Reply to Office Action of May 20, 2004

24. (Currently Amended) The computer readable medium of claim ~~23~~21, wherein identifying the packet with the entitlement control message comprises sorting the program data according to packet identifiers.

25. (Cancelled).

26. (Currently Amended) The computer readable medium of claim ~~25~~21, further comprising instructions which, when executed by the processor, causes the processor to perform blanking data in the entitlement management message.

27. (Cancelled).

28. (Currently Amended) The computer readable medium of claim ~~25~~21, further comprising instructions which, when executed by the processor, causes the processor to perform deriving the key from the entitlement management message for use in deriving the code word from the entitlement control message.

29. (Cancelled).

30. (Currently Amended) The conditional access unit of claim ~~29~~32, wherein the conditional access unit is managed essentially without CPU involvement.

31. (Currently Amended) The conditional access unit of claim ~~29-32~~ further comprising an entitlement control message blanking unit, coupled to the entitlement control message injector unit, that blanks data in the entitlement control message before transmitting the entitlement control message to the entitlement control message injector unit.

32. (Currently Amended) ~~The A~~ conditional access unit ~~of claim 29, further~~ comprising:  
a control word descrambler unit that descrambles a control word from an entitlement control message with a key;

Appl. No. 09/771,363

Amdt. Dated 08/20/2004

Reply to Office Action of May 20, 2004

a control word re-scrambling unit, coupled to the control word descrambler unit, that re-scrambles the control word with a local key;

an entitlement control message injector unit, coupled to the control word re-scrambler unit, that injects the control word that has been re-scrambled with the local key into the entitlement control message; and

an entitlement management message injector unit[[,]] that injects the local key into ~~an~~ the entitlement management message.

33. (Original) The conditional access unit of claim 32, further comprising an entitlement management message blanking unit, coupled to the entitlement management message injector unit, that blanks data in the entitlement management message before transmitting the entitlement management message to the entitlement management message injector unit.